OIPE			<u> </u>
	TRANSMITTAL LETTER (General - Patent Pending)		Docket No.
In Re Application Of Ganz	<i>i</i>		
Serial No. 09/982,048	Filing Date 10/18/01	Examiner Miller, M	Group Art Unit 2623
Title: Automated Verifi	fication and Inspection Device for	Sequentially Inspecting Micro	oscopic Crystals
			RECEIVED
	TO THE ASSISTANT COM	MMISSIONER FOR PATENT	
Transmitted herewith is:			Technology Center 2600
Enclosure C, Petition for a 3 month e	extension of time with petition fee		aving enclosures 8 - 9)),
in the above identified application.			
as described below ☐ Charge the ☑ Credit any		to charge and credit Deposit	t Account No. 200678
Sig John R. Ross, III	ignature	Dated: 02/13/2003	
Regis. No. 43060			
Ross Patent Law Office P.O. Box 2138 Del Mar, CA 92014 858-755-3122		on 02/13/2003 first class mail und	is document and fee is being deposited with the U.S. Postal Service as nder 37 C.F.R. 1.8 and is addressed to the hissioner for Patents, Washington, D.C.
FAX: 858-755-3122		20231.	197
		Signature	e of Person Mailing Correspondence
ec:		Tuned or Printer	John R. Ross, III
		1 ypeu or Frincea	l Name of Person Mailing Correspondence



NITED STATES PATENT AND TRADEMARK OFFICE

#7 3-603 RECEIVED

RECEIVED

MAR - 4 2003

Serial No.:

09/982,048

Filed: Applicant:

10/18/01

For:

Ganz Automated Verification and

Inspection Device for Sequentially Inspecting Microscopic Crystals

Examiner: Group Art:

Miller, M

: 2623

CERTIFICATE OF MAILING

I certify that this document is being deposited on 2/13/03 with the U.S. Postal Service as first Technology Center 2600 class mail under 37 C.F.R. 1.8 and is addressed to the:

Assistant Commissioner for Patents Washington, D.C. 20231

Agnature of Person Mailing Correspondence

John R. Ross, III Typed or Printed Name of Person Mailing Correspondence

Amendment A

Sir,

This letter is in response to Office Action dated 8/13/2002. A request for a three month extension of time has been submitted with this response. Please amend the above-identified patent application as follows:

In the Drawings

Please replace FIG. 33 with new FIG. 33.

Remarks

**Drawings** 

Examiner has stated that the drawings are objected to because figure 33, block 448, the word "welll" should be spelled – well--. In response, Applicant has replaced the original FIG. 33 with a new FIG. 33 in which the appropriate correction has been made.

Claim Rejections - 35 USC 102

Examiner has rejected Claims 1, 2, 5, 6, 10, 13, 14 17, 18, 22, 30, 31, 34, 35 and 39 under 35 USC 102(b) as being anticipated by DeTitta. Applicant respectfully submits that DeTitta is an improper reference due to the fact that it does not provide a description that